PTO/SB/08A (10-01)

Approved for use through 10/31/2002.OMB 0651-0031

U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Complete if Known Substitute for form 1449A/PTO 10/622,482 Application Number INFORMATION DISCLOSURE July 31, 2003 Filing Oate STATEMENT BY APPLICANT Kristy A. Campbell First Named Inventor N/A 2815 Art Unit (use as many sheets as necessary) Examiner Name Not Yet Assigned of M4065.0724/P724 Sheet 11 Attorney Docket Number

U.S. PATENT DOCUMENTS								
ixaminer nitials*	Cite No.1	Document Number Number-Kind Code ² (# known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear			
MCL	AA	2002/0000666	1/3/2002	Kozicki et al.				
MU	ÀΒ	2002/0072188	6/13/2002	Gilton	<u> </u>			
MG	AC	2002/0106849	08/08/2002	Moore				
nec	AH	2002/0123169	09/05/2002	Moore et al.				
me	ÀΙ	2002/0123170	09/05/2002	Moore et al.	\			
My	AJ	2002/0123248	09/05/2002	Moore et al.				
ma	AK	2002/0127886	09/12/2002	Moore et al.				
jule	AL	2002/0132417	09/09/2002	Li				
M	AF	2002/0160551	10//31/2002	Harshfield				
me	AG	2002/0163828	11/07/2002	Krieger et al.				
me	AM	2002/0168820	11/2002	Kozicki				
Me	AN	2002/0168852	11/14/2002	Harshfield et al.				
men	AO	2002/0190289	12/19/2002	Harshfield et al.				
Me	AP	2002/0190350	12/19/2002	Kozicki et al.				
Mer	AQ	2003/0001229	01/02/2003	Moore et al.				
Me	AR	2003/0027416	02/06/2003	Moore				
W	AS	2003/0032254	02/13/2003	Gilton				
me	AT	2003/0035314	02/20/2003	Kozicki				
M	AU	2003/0035315	02/20/2003	Kozicki				
Me	AV	2003/0038301	02/27/2003	Moore				
Me	AW	2003/0043631	03/06/2003	Gilton et al.				
me	AX	2003/0045049	03/06/2003	Campbell et al.				
1	AY	2003/0045054	03/06/2003	Campbell et al.				
me	ΑŻ	2003/0047765	03/13/2003	Campbell				
	AA1	2003/0047772	03/13/2003	Li				
	AB1	2003/0047773	03/13/2003	Li				
~~	AC1	2003/0048519	03/13/2003	Kozicki				
~	AD1	2003/0049912	03/13/2003	Campbell et al.				
~	AE1	2003/0068861	04/10/2003	Li				
	AF1	2003/0068862	04/10/2003	U				
		2003/0095426	05/22/2003	Hush et al.				
*	AH1	2003/0096497	05/22/2003	Moore et al.	1			
~~	Al1	2003/0107105	06/12/2003	Kozicki				
~~	AJ1	2003/0117831	06/26/2003	Hush				
/	AK1	2003/0128612	07/10/2003	Moore et al.				
~~	AL1	2003/0137869	07/24/2003	Kozicki				
me		2003/0143782	07/31/2003	Gilton et al.	1			
M		2003/0155589	08/21/2003	Campbell et al.	1			
~~~		2003/0155606	08/21/2003	Campbell et al.				
ma	<del></del>	2003/0156447	08/21/2003	Kozicki	<del> </del>			
m		2003/0156463	08/21/2003	Casper et al.	<del>                                     </del>			
Newyc		2003/0209728	11/13/2003	Kozicki et al	+			
New A		2003/0209971	11/13/2003	Kozicki et al	<del> </del>			
N w A		2003/0210564	11/13/2003	Limerous of al	1/			

1706952 v1; 10L3C011.DOC

Muchel John 1/18/05

PTO/S8/08A (10-01)

Approved for use through 10/31/2002.OMB 0851-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE fuction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO

## INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

	Complete if Known				
Application Number	10/622,482				
Filing Date	July 31, 2003				
First Named Inventor	Kristy A. Campbell				
Art Unit	N/A 2815				
Examiner Name	Not Yet Assigned	LANDAU			
	111005 0704/7704	1			

Sheet		2	of	11		Attorney Docket Number	M4065.0724/P724			
na	AR1	3,622,319		11/1971	Shar	D				
Me		3,743,847		7/1973	Bola			$\neg$		
M		4,269,935		5/1981	Mast	ers et al.		-1		
		4,312,938		1/1982		ler, et al.		$\neg$		
***		4,316,946		1/1982		ers, et al.				
Me		4,320,191		3/1982		ikawa et al.				
m		4,405,710		9/1983		subramanyam et al.		$\neg$		
M		4,419,421		12/1983		elhaus, et al.				
ne	AZ1	4,499,557		2/1985		berg et al.				
Me		4,671,618		06/09/1987	Ŵυ e					
m		4,795,657		1/1989		nigoni et al.				
me		4,800,526		01/24/1989	Lewi					
Me		4,847,674		7/1989	Sliwa	et al.				
Me		5,177,567		1/1993	<del></del>	y et al.		$\neg$		
ni		5,219,788		6/1993		nathey et al.				
1		5,238,862		8/1993		ck et al.				
1		5,272,359		12/21/1993	Naga	subramanian et al.				
me		5,314,772		5/24/1994	Kozi					
ML		5,315,131		5/1994	Kish	moto et al.			Ι	
Man		5,350,484		9/1994	Gard	ner et al.		}		
M	AL2	5,360,981	_	11/1994	Owe	n et al.				
m	AM2	5,500,532		3/19/1996	Kozi	cki et al.			11	
Men	AN2	5,512,328		4/1996	Yost	imura et al.			11	
M	AO2	5,512,773		4/1996	Wolf	et al.				
Me	AP2	5,726,083		3/1998	Taka				11	
		5,751,012		5/12/1998	Wols	tenholme et al.			11	
m		5,761,115		6/1998		cki et al.			Ц	
m		5,789,277		8/1998	+	rik et al.			11	
Ma		5,814,527		9/29/1998		tenholme et al			₽	
m		5,818,749		10/06/1998	<del></del>	hfield				
M		5,841,150		11/1998		zalez et al.			<del>                                     </del>	
~~~		5,846,889		12/1998		ison et al.				
Me	. AX2	5,851,882		12/22/1998		hfield			Н.	
Me		5,869,843		2/9/1999		hfield				
M		5,896,312		4/20/1999	•—	cki et al.			$\vdash \vdash$	
M		5,914,893		6/22/1999		cki et al.			Н—	
Me		5,920,788		7/1999	_	berg			├├	
me		5,998,066		12/1999		k et al.			Н—	
m		6,031,287		2/29/2000		hfield			 	
me		6,072,716		06/06/2000		bson et al.				
Ma		6,077,729		6/2000	-	hfield		\longrightarrow	+	
n		6,084,796		7/4/2000		cki et al.				
Ma		6,177,338		1/2001		et al.				
Ma		6,117,720		9/2000		hfield		$-\!$		
m	AJ3	6,143,604		11/2000		ng et al.		$-\!\!\!\!+$	+	
M		6,236,059		5/2001		teinholme et al.			┼	
m		6,297,170		10/2001		riel et al.			 	
me		6,300,684		10/2001		zalez et al.		-++		
ma	AN3	6,316,784		11/2001	Zano	orik et al.		$-\!$		

1706952 v1; 10L3C01I.DOC

Musher Cplus 1/18/05

PTO/SB/08A (10-01)
Approved for use through 10/31/2002 OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

tion Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number. Complete if Known Substitute for form 1449A/PTO 10/622,482 Application Number INFORMATION DISCLOSURE Filing Date July 31, 2003 STATEMENT BY APPLICANT Kristy A. Campbell First Named Inventor N/A 2815 Art Unit (use as many sheets as necessary) NOT YET ASSIGNED LANDAY Examiner Name Attorney Docket Number M4065.0724/P724 Sheet 3 of 11 ML AO3 6,329,606 12/2001 Freyman et al. m AP3 6,348,365 2/19/2002 Moore et al. AQ3 6,350,679 2/2002 McDaniel et al. Gonzalez et al. AR3 | 6,376,284 4/2002 5/14/2002 AS3 6,388,324 Kozicki et al. m AT3 6,391,688 5/2002 Gonzalez et al. AU3 6,414,376 7/2002 Thakur et al. MG M AV3 6,418,049 7/9/2002 Kozicki et al. Harshfleid AW3 6,420,725 me 7/16/2002 m AX3 6,423,628 7/2002 Li et al. me AY3 6,440,837 8/27/2002 Harshfield Kozicki AZ3 6,469,364 10/2002 Ignatiev et al. AA4 6,473,332 10/2002

	FOREIGN PATENT DOCUMENTS										
Everiens	Cite	Foreign Patent Document	Publication Date	Name of Patentee or	Pages, Columns, Lines, Where Relevant	Γ					
Examiner Initials*	No.1	Country Code ³ -Number ⁴ -Kind Code ⁵ (if known)	MM-DD-YYYY	Applicant of Cited Document	Passages or Relevant Figures Appear	TO					
~~	BA	56126916 JP	10/19981	Akira et al.							
	BB	WO 97/48032	12/18/1997	Kozicki et al.							
~~~	BC	WO 99/28914	06/10/1999	Kozicki et al.							
me	BD	WO 00/48196	08/17/2000	Kozicki et al.							
n.	BE	WO 02/21542	03/14/2002	Kozicki et al.							

Kozicki

11/26/2002

Examiner Signature	Mustin C. 1 Sun	Date Considered	1/17/05

*EXAMINER: Initial if reference considered whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant

AB4 6,487,106

Applicant's unique citation designation number (optional). See attached Kinds Codes of USPTO Patent Documents at <a href="https://www.uspto.gov">www.uspto.gov</a> or MPEP 901.04. Senter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the application number of the patent document. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 18 if possible. Applicant is to place a check mark here if English language Translation is attached.

PTO/SB/08B (10-01)

Approved for use through 10/31/2002.OMB 0651-0031

U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE deduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Sur	bstitute for form 14498/F	PTO.		Complete if Known		
Su	osaldie ioi ioiiii 144001	,0		Application Number	10/622,482	
11	NFORMATIC	ON DISC	LOSURE	Filing Date	July 31, 2003	
* *	TATEMENT			First Named Inventor	Kristy A. Campbell	
•	.,,,,			Group Art Unit	N/A \$ 2815	
	(use as many	sheets as nec	essary)	Examiner Name	Not Yet Assigned LANDAY	
Sheet	4	of	11	Attorney Docket Number	M4065.0724/P724	

		OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS	_
examiner nitials	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T2
mu	CA	Abdel-All, A.; Elshafie, A.; Elhawary, M.M., DC electric-field effect in bulk and thin-film Ge5As38Te57 chalcogenide glass, Vacuum 59 (2000) 845-853.	
<u>~~</u>	СВ	Adler, D.; Moss, S.C., Amorphous memories and bistable switches, J. Vac. Sci. Technol. 9 (1972) 1182-1189.	$  \  $
ML	СС	Adler, D.; Henisch, H.K.; Mott, S.N., The mechanism of threshold switching in amorphous alloys, Rev. Mod. Phys. 50 (1978) 209-220.	П
m-	CD	Afifi, M.A.; Labib, H.H.; El-Fazary, M.H.; Fadel, M., Electrical and thermal properties of chalcogenide glass system Se75Ge25-xSbx, Appl. Phys. A 55 (1992) 167-169.	Γ
m	CE	Affil, M.A.; Labib, H.H.; Fouad, S.S.; El-Shazly, A.A., Electrical & thermal conductivity of the amorphous semiconductor GexSe1-x, Egypt, J. Phys. 17 (1986) 335-342.	
<u></u>	CF	Alekperova, Sh.M.; Gadzhieva, G.S., Current-Voltage characteristics of Ag2Se single crystal near the phase transition, Inorganic Materials 23 (1987) 137-139.	
μι	CG	Aleksiejunas, A.; Cesnys, A., Switching phenomenon and memory effect in thin-film heterojunction of polycrystalline selenium-silver selenide, Phys. Stat. Sol. (a) 19 (1973) K169-K171.	
<del></del>	СН	Angell, C.A., Mobile ions in amorphous solids, Annu. Rev. Phys. Chem. 43 (1992) 693-717.	
<b>~</b>	CI	Aniya, M., Average electronegativity, medium-range-order, and ionic conductivity in superionic glasses. Solid state lonics 136-137 (2000) 1085-1089.	Ц
m	CJ	Asahara, Y.; Izumitani, T., Voltage controlled switching in Cu-As-Se compositions, J. Non-Cryst. Solids 11 (1972) 97-104.	
Mh	СК	Asokan, S.; Prasad, M.V.N.; Parthasarathy, G.; Gopal, E.S.R., Mechanical and chemical thresholds in IV-VI chalcogenide glasses, Phys. Rev. Lett. 62 (1989) 808-810	
~	CL	Axon Technologies Corporation, Technology Description: Programmable Metalization (Cell/PMC), pp. 1-6 (Pre-May 2000).	
m	СМ	Baranovskii, S.D.; Cordes, H., On the conduction mechanism in ionic glasses, J. Chem. Phys. 111 (1999) 7546-7557.	
m	CN	Belin, R.; Taillades, G.; Pradel, A.; Ribes, M., Ion dynamics in superionic chalcogenide glasses: complete conductivity spectra, Solid state Ionics 136-137 (2000) 1025-1029.	$\mathbb{I}$
m	со	Belin, R.; Zerouale, A.; Pradel, A.; Ribes, M., Ion dynamics in the argyrodite compound Ag7GeSe5I: non-Arrhenius behavior and complete conductivity spectra, Solid State Ionics 143 (2001) 445-455.	
m	CP	Benmore, C.J.; Salmon, P.S., Structure of fast ion conducting and semiconducting glassy chalcogenide alloys, Phys. Rev. Lett. 73 (1994) 264-267.	$\prod$
	co	Bernede, J.C., Influence du metal des electrodes sur les caracteristiques courant-tension des structures M-Ag2Se-M, Thin solid films 70 (1980) L1-L4.	$\prod$
me	CR	Bernede, J.C., Polarized memory switching in MIS thin films, Thin Solid Films 81 (1981) 155-160.	
M	cs	Bernede, J.C., Switching and silver movements in Ag2Se thin films, Phys. Stat. Sol. (a) 57 (1980) K101-K104.	
M	СТ	Bernede, J.C.; Abachi, T., Differential negative resistance in metal/insulator/metal structures with an upper bilayer electrode, Thin solid films 131 (1985) L61-L64.	
n	CU	Bernede, J.C.; Conan, A.; Fousenan't, E.; El Bouchairi, B.; Goureaux, G., Polarized memory switching effects in Ag2Se/Se/M thin film sandwiches, Thin solid films 97 (1982) 165-171.	
Msz	cv	Berned , J.C.; Khelil, A.; Kettaf, M.; Conan, A., Transition from S- to N-type differential negative resistance in Al-Al2O3-Ag2-xSe1+x thin film structures, Phys. Stat. Sol. (a) 74 (1982)	

1706952 v1; 10L3C011.DOC

Muchel John 1/18/05

PTO/SB/08B (10-01)
Approved for use through 10/31/2002.OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

duction Act of 1995, no persons are required to re pond to a collection of information unless it contains a valid OMB control number.

Complete if Known Substitute for form 1449B/PTO 10/622,482 Application Number INFORMATION DISCLOSURE July 31, 2003 STATEMENT BY APPLICANT First Named Inventor Kristy A. Campbell N/A drit Group Art Unit (use as many sheets as necessary) Not Yet Assigned LANDAI Examiner Name 11 Sheet M4065.0724/P724 of Attorney Docket Number

		217-224.	1,
me	CW	Bondarev, V.N.; Pikhitsa, P.V., A dendrite model of current instability in RbAg4I5, Solid State lonics 70/71 (1994) 72-76.	
Me	СХ	Boolchand, P., The maximum in glass transition temperature (Tg) near x=1/3 in GexSe1-x Glasses, Asian Journal of Physics (2000) 9, 709-72.	
Me	CY	Boolchand, P.; Bresser, W.J., Mobile silver ions and glass formation in solid electrolytes, Nature 410 (2001) 1070-1073.	
M	CZ	Boolchand, P.; Georgiev, D.G.; Goodman, B., Discovery of the Intermediate Phase in Chalcogenide Glasses, J. Optoelectronics and Advanced Materials, 3 (2001), 703	
Μι	CA1	Boolchand, P.; Selvanathan, D.; Wang, Y.; Georgiev, D.G.; Bresser, W.J., Onset of rigidity in steps in chalcogenide glasses, Properties and Applications of Amorphous Materials, M.F. Thorpe and Tichy, L. (eds.) Kluwer Academic Publishers, the Netherlands, 2001, pp. 97-132.	
M	CB1	Boolchand, P.; Enzweiler, R.N.; Tenhover, M., Structural ordering of evaporated amorphous chalcogenide alloy films: role of thermal annealing, Diffusion and Defect Data Vol. 53-54 (1987) 415-420.	
m	CC1	Boolchand, P.; Grothaus, J.; Bresser, W.J.; Suranyi, P., Structural origin of broken chemical order in a GeSe2 glass, Phys. Rev. B 25 (1982) 2975-2978.	
m	CD1	Boolchand, P.; Grothaus, J.; Phillips, J.C., Broken chemical order and phase separation in GexSe1-x glasses, Solid state comm. 45 (1983) 183-185.	
m	CE1	Boolchand, P., Bresser, W.J., Compositional trends in glass transition temperature (Tg), network connectivity and nanoscale chemical phase separation in chalcogenides, Dept. of ECECS, Univ. Cincinnati (October 28, 1999) 45221-0030.	
me	CF1	Boolchand, P.; Grothaus, J, Molecular Structure of Melt-Quenched GeSe2 and GeS2 glasses compared, Proc. Int. Conf. Phys. Semicond. (Eds. Chadi and Harrison) 17 th (1985) 833-36.	
ML	CG1	Bresser, W.; Boolchand, P.; Suranyi, P., Rigidity percolation and molecular clustering in network glasses, Phys. Rev. Lett. 56 (1986) 2493-2496.	
M	CH1	Bresser, W.J.; Boolchand, P.; Suranyi, P.; de Neufville, J.P, Intrinsically broken chalcogen chemical order in stoichiometric glasses, Journal de Physique 42 (1981) C4-193-C4-196.	
~	CI1	Bresser, W.J.; Boolchand, P.; Suranyl, P.; Hernandez, J.G., Molecular phase separation and cluster size in GeSe2 glass, Hyperfine Interactions 27 (1986) 389-392.	$\Pi$
M	CJ1	Cahen, D.; Gilet, JM.; Schmitz, C.; Chernyak, L.; Gartsman, K.; Jakubowicz, A., Room-Temperature, electric field induced creation of stable devices in CulnSe2 Crystals, Science 258 (1992) 271-274.	
M_	CK1	Chatterjee, R.; Asokan, S.; Titus, S.S.K., Current-controlled negative-resistance behavior and memory switching in bulk As-Te-Se glasses, J. Phys. D: Appl. Phys. 27 (1994) 2624-2627.	
~	CL1	Chen, C.H.; Tai, K.L., Whisker growth induced by Ag photodoping in glassy GexSe1-x films, Appl. Phys. Lett. 37 (1980) 1075-1077.	
11 ·	CM1	Chen, G.; Cheng, J., Role of nitrogen in the crystallization of silicon nitride-doped chalcogenide glasses, J. Am. Ceram. Soc. 82 (1999) 2934-2936.	
m	CN1	Chen, G.; Cheng, J.; Chen, W., Effect of Sl3N4 on chemical durability of chalcogenide glass, J. Non-Cryst. Solids 220 (1997) 249-253.	
M	CO1	Cohen, M.H.; Neale, R.G.; Paskin, A., A model for an amorphous semiconductor memory device, J. Non-Cryst. Solids 8-10 (1972) 885-891.	
M	CP1	Croitoru, N.; Lazarescu, M.; Popescu, C.; Telnic, M.; and Vescan, L., Ohmic and non-ohmic conduction in some amorphous semiconductors, J. Non-Cryst. Solids 8-10 (1972) 781-786.	
M	CQ1	Dalven, R.; Gill, R., Electrical properties of beta-Ag2Te and beta-Ag2Se from 4.2 to 300K, J. Appl. Phys. 38 (1967) 753-756.	
M	CR1	Davis, E.A., Semiconductors without form, Search 1 (1970) 152-155.	$\Pi^{-}$
м_	CS1	Dearnaley, G.; Stoneham, A.M.; Morgan, D.V., Electrical phenomena in amorphous oxide films, Rep. Prog. Phys. 33 (1970) 1129-1191.	
4	CT1	Dejus, R.J.; Susman, S.; Volin, K.J.; Montague, D.G.; Price, D.L., Structur of Vitreous Ag-Ge-	

1706952 v1; 10L3C011.DOC

Mucha ( Jlu / 18/18

PTO/SB/08B (10-01)

Approved for use through 10/31/2002.OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Radiation Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Complete if Known Substitute for form 1449B/PTO 10/622,482 **Application Number** INFORMATION DISCLOSURE Filing Date July 31, 2003 STATEMENT BY APPLICANT First Named inventor Kristy A. Campbell N/A 2815 Group Art Unit (use as many sheets as necessary) Not Yet Assigned Exeminer Name M4065.0724/P724 Sheet 6 of 11 Attorney Docket Number

			一	Ξ
		Se, J. Non-Cryst. Solids 143 (1992) 162-180.	₽	_
Ma	CU1	den Boer, W., Threshold switching in hydrogenated amorphous silicon, Appl. Phys. Lett. 40 (1982) 812-813.	Ш	
j	CV1	Drusedau, T.P.; Panckow, A.N.; Klabunde, F., The hydrogenated amorphous silicon/nanodisperse metal (SIMAL) system-Films of unique electronic properties, J. Non-Cryst. Solids 198-200 (1996) 829-832.		
1	CW1	El Bouchairi, B.; Bernede, J.C.; Burgaud, P., Properties of Ag2-xSe1+x/n-Si diodes, Thin Solid Films 110 (1983) 107-113.	П	ŀ
1	CX1	El Gharras, Z.; Bourahla, A.; Vautier, C., Role of photoinduced defects in amorphous GexSe1-x photoconductivity, J. Non-Cryst. Solids 155 (1993) 171-179.	П	
	CY1	El Ghrandi, R.; Calas, J.; Galibert, G.; Averous, M., Silver photodissolution in amorphous chalcogenide thin films, Thin Solid Films 218 (1992)259-273.		
	CZ1	El Ghrandi, R.; Calas, J.; Galibert, G., Ag dissolution kinetics in amorphous GeSe5.5 thin films from "in-situ" resistance measurements vs time, Phys. Stat. Sol. (a) 123 (1991) 451-460.		
	CA2	El-kady, Y.L., The threshold switching in semiconducting glass Ge21Se17Te62, Indian J. Phys. 70A (1996) 507-516.	Ц	
	CB2	Elliott, S.R., A unified mechanism for metal photodissolution in amorphous chalcogenide materials, J. Non-Cryst. Solids 130 (1991) 85-97.	Ц	
	CC2	Elliott, S.R., Photodissolution of metals in chalcogenide glasses: A unified mechanism, J. Non-Cryst. Solids 137-138 (1991) 1031-1034.	$\coprod$	
	CD2	Elsamanoudy, M.M.; Hegab, N.A.; Fadel, M., Conduction mechanism in the pre-switching state of thin films containing Te As Ge Si, Vacuum 46 (1995) 701-707.		
	CE2	El-Zahed, H.; El-Korashy, A., Influence of composition on the electrical and optical properties of Ge20BixSe80-x films, Thin Solid Films 376 (2000) 236-240.		
	CF2	Fadel, M., Switching phenomenon in evaporated Se-Ge-As thin films of amorphous chalcogenide glass, Vacuum 44 (1993) 851-855.		
	CG2	Fadel, M.; El-Shair, H.T., Electrical, thermal and optical properties of Se75Ge7Sb18, Vacuum 43 (1992) 253-257.		
	CH2	Feng, X.; Bresser, W.J.; Boolchand, P., Direct evidence for stiffness threshold in Chalcogenide glasses, Phys. Rev. Lett. 78 (1997) 4422-4425.	1	
	CI2	Feng, X.; Bresser, W.J.; Zhang, M.; Goodman, B.; Boolchand, P., Role of network connectivity on the elastic, plastic and thermal behavior of covalent glasses, J. Non-Cryst. Solids 222 (1997) 137-143.		
	CJ2	Fischer-Colbrie, A.; Bienenstock, A.; Fuoss, P.H.; Marcus, M.A., Structure and bonding in photodiffused amorphous Ag-GeSe2 thin films, Phys. Rev. B 38 (1988) 12388-12403.	Ш	
	CK2	Fleury, G.; Hamou, A.; Viger, C.; Vautier, C., Conductivity and crystallization of amorphous selenium, Phys. Stat. Sol. (a) 64 (1981) 311-316.	$\parallel$	
	CL2	Fritzsche, H, Optical and electrical energy gaps in amorphous semiconductors, J. Non-Cryst. Solids 6 (1971) 49-71.	$\parallel$	
	CM2	Fritzsche, H., Electronic phenomena in amorphous semiconductors, Annual Review of Materials Science 2 (1972) 697-744.		
	CN2	Gates, B.; Wu, Y.; Yin, Y.; Yang, P.; Xia, Y., Single-crystalline nanowires of Ag2Se can be synthesized by templating against nanowires of trigonal Se, J. Am. Chem. Soc. (2001) currently ASAP.	Management	
$\int$	CO2	Gosain, D.P.; Nakamura, M.; Shimizu, T.; Suzuki, M.; Okano, S., Nonvolatile memory based on reversible phase transition phenomena in telluride glasses, Jap. J. Appl. Phys. 28 (1989) 1013-1018.		
T	CP2	Guin, JP.; Rouxel, T.; Keryvin, V.; Sangleboeuf, JC.; Serre, I.; Lucas, J., Indentation creep of Ge-Se chalcogenide glasses below Tg: elastic recovery and non-Newtonian flow, J. Non-Cryst. Solids 298 (2002) 260-269.		
11.	CQ2	Guin, JP.; Rouxel, T.; Sangleboeuf, JC; Melscoet, I.; Lucas, J., Hardness, toughn ss, and	7	١

1706952 v1; 10L3C011.DOC

Marke John 1/18/08

PTC/SB/08B (10-01)

Approved for use through 10/31/2002.OMB 0651-0031

U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paper Mark Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

	ostitute for form 1449B/PT	0		Complete if Known		
Su	120mia ioi 10111 144201- 1	0		Application Number	10/622,482	
10	FORMATIO	N DI	SCLOSURE	Filing Date	July 31, 2003	
	TATEMENT			First Named Inventor	Kristy A. Campbell	
•	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			Group Art Unit	N/A 2815	
	(use as many s	heets as	necessary)	Examiner Name	Not Yet Assigned LANMU	
Sheet	7	of	11	Attorney Docket Number	M4065.0724/P724	

		scratchability of germanium-selenium chalcogenide glasses, J. Am. Ceram. Soc. 85 (2002) 1545-52.	1				
m	CR2	Gupta, Y.P., On electrical switching and memory effects in amorphous chalcogenides, J. Non-Cryst. Sol. 3 (1970) 148-154.					
	CS2	Haberland, D.R.; Stiegler, H., New experiments on the charge-controlled switching effect in amorphous semiconductors, J. Non-Cryst. Solids 8-10 (1972) 408-414.	1				
	CT2	Haifz, M.M.; Ibrahim, M.M.; Dongol, M.; Hammad, F.H., Effect of composition on the structure and electrical properties of As-Se-Cu glasses, J. Apply. Phys. 54 (1983) 1950-1954.					
	CU2	Hajto, J.; Rose, M.J.; Osborne, I.S.; Snell, A.J.; Le Comber, P.G.; Owen, A.E., Quantization effects in metal/a-Si:H/metal devices, Int. J. Electronics 73 (1992) 911-913.					
	CV2	Hajto, J.; Hu, J.; Snell, A.J.; Turvey, K.; Rose, M., DC and AC measurements on metal/a-Si:H/metal room temperature quantised resistance devices, J. Non-Cryst. Solids 266-269 (2000) 1058-1061.					
	CW2	Hajto, J.; McAuley, B.; Snell, A.J.; Owen, A.E., Theory of room temperature quantized resistance effects in metal-a-Si:H-metal thin film structures, J. Non-Cryst. Solids 198-200 (1996) 825-828.					
	CX2	Hajto, J.; Owen, A.E.; Snell, A.J.; Le Comber, P.G.; Rose, M.J., Analogue memory and ballistic electron effects in metal-amorphous silicon structures, Phil. Mag. B 63 (1991) 349-369.					
T	CY2	Hayashi, T.; Ono, Y.; Fukaya, M.; Kan, H., Polarized memory switching in amorphous Se film, Japan. J. Appl. Phys. 13 (1974) 1163-1164.					
M	ÇZ2	Hegab, N.A.; Fadel, M.; Sedeek, K., Memory switching phenomena in thin films of chalcogenide semiconductors, Vacuum 45 (1994) 459-462.	Ц				
m	CA3	Helbert et al., Intralevel hybrid resist process with submicron capability, SPIE Vol. 333 Submicron Lithography, pp. 24-29 (1982).					
w-	СВЗ	Hilt, DISSERTATION: Materials characterization of Silver Chalcogenide Programmable Metalization Cells, Arizona State University, pp. Title page-114 (UMI Company, May 1999).					
~~	ССЗ	Hirose et al., High Speed Memory Behavior and Reliability of an Amorphous As ₂ S ₃ Film Doped Ag. Phys. STAT. SQL. (a) 61, pp. 87-90 (1980).					
	CD3	Hirose, Y.; Hirose, H., Polarity-dependent memory switching and behavior of Ag dendrite in Ag-photodoped amorphous As2S3 films, J. Appl. Phys. 47 (1976) 2767-2772.					
Mi.	CE3	Holmquist et al., Reaction and Diffusion in Silver-Arsenic Chalcogenide Glass Systems, 62 J. AMER. CERAM, SOC., No. 3-4, pp. 183-188 (March-April 1979).					
m	CF3	Hong, K.S.; Speyer, R.F., Switching behavior in II-IV-V2 amorphous semiconductor systems, J. Non-Cryst. Solids 116 (1990) 191-200.	Ц				
ML	CG3	Hosokawa, S., Atomic and electronic structures of glassy GexSe1-x around the stiffness threshold composition, J. Optoelectronics and Advanced Materials 3 (2001) 199-214.					
سر	СНЗ	Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Constant current forming in Cr/p+a-/Si:H/V thin film devices. J. Non-Cryst. Solids 227-230 (1998) 1187-1191.	1				
ne	CI3	Hu, J.; Hajto, J.; Snell, A.J.; Owen, A.E.; Rose, M.J., Capacitance anomaly near the metal- non-metal transition in Cr-hydrogenated amorphous Si-V thin-film devices, Phil. Mag. B. 74 (1996) 37-50.					
M	CJ3	Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Current-induced Instability In Cr-p+a-Si:H-V thin film devices, Phil. Mag. B 80 (2000) 29-43.					
m	СКЗ	Huggett et al., Development of silver sensitized germanium selenide photoresist by reactive sputter etching in SF6, 42 Appl. Phys. Lett., No. 7, pp. 592-594 (April 1983).					
n	CL3	lizima, S.; Sugi, M.; Kikuchi, M.; Tanaka, K., Electrical and thermal properties of semiconducting glasses As-Te-Ge, Solid State Comm. 8 (1970) 153-155.					
n	СМЗ	Ishikawa, R.; Kikuchi, M., Photov Itaic study on the photo-enhanced diffusion of Ag in amorphous films of Ge2S3, J. Non-Cryst. Solids 35 & 36 (1980) 1061-1066.	П				

1706952 v1; 10L3C01I.DOC

marker C plu 1/18/05

PTC/SB/08B (10-01)

Approved for use through 10/31/2002.OMB 0651-0031

U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE duction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Sul	ostitute for form 14498/PT	'n		Complete if Known		
		•		Application Number	10/622,482	
١N	<b>IFORMATIO</b>	N DI	SCLOSURE	Filing Date	July 31, 2003	
S	TATEMENT	BY A	APPLICANT	First Named Inventor	Kristy A. Campbell	
_			•	Group Art Unit	N/A 2515	
	(use as many s	heels as	necessary)	Examiner Name	Not Yet Assigned LANDAU	
Sheet	8	of	11	Attorney Docket Number	M4065.0724/P724	

Me	CN3	lyetomi, H.; Vashishta, P.; Kalia, R.K., Incipient phase separation in Ag/Ge/Se glasses: clustering of Ag atoms, J. Non-Cryst. Solids 262 (2000) 135-142.	
μı	CO3	Jones, G.; Collins, R.A., Switching properties of thin selenium films under pulsed bias, Thin Solid Films 40 (1977) L15-L18.	
~	CP3	Joullie, A.M.; Marucchi, J., On the DC electrical conduction of amorphous As2Se7 before switching, Phys. Stat. Sol. (a) 13 (1972) K105-K109.	
M	CQ3	Joullie, A.M.; Marucchi, J., Electrical properties of the amorphous alloy As2Se5, Mat. Res. Bull. 8 (1973) 433-442.	
me	CR3	Kaplan, T.; Adler, D., Electrothermal switching in amorphous semiconductors, J. Non-Cryst. Solids 8-10 (1972) 538-543.	
~	CS3	Kawaguchi et al., Mechanism of photosurface deposition, 164-166 J. Non-CRYST. Solids, pp. 1231-1234 (1993).	
~	СТЗ	Kawaguchi, T.; Maruno, S.; Elliott, S.R., Optical, electrical, and structural properties of amorphous Ag-Ge-S and Ag-Ge-Se films and comparison of photoinduced and thermally induced phenomena of both systems, J. Appl. Phys. 79 (1996) 9096-9104.	
2	CU3	Kawaguchi, T.; Masui, K., Analysis of change in optical transmission spectra resulting from Ag photodoping in chalcogenide film, Japn. J. Appl. Phys. 26 (1987) 15-21.	
~~	CV3	Kawasaki, M.; Kawamura, J.; Nakamura, Y.; Aniya, M., Ionic conductivity of Agx(GeSe3)1-x (0<=x<=0.571) glasses, Solid state Ionics 123 (1999) 259-269.	
<b>~</b>	CW3	Kluge, G.; Thomas, A.; Klabes, R.; Grotzschel, R., Silver photodiffusion in amorphous GexSe100-x, J. Non-Cryst. Solids 124 (1990) 186-193.	
M	СХЗ	Kolobov, A.V., On the origin of p-type conductivity in amorphous chalcogenides, J. Non-Cryst. Solids 198-200 (1996) 728-731.	
n	CY3	Kolobov, A.V., Lateral diffusion of silver in vitreous chalcogenide films, J. Non-Cryst. Solids 137-138 (1991) 1027-1030.	
لبر	CZ3	Kolobov et al., Photodoping of amorphous chalcogenides by metals, Advances in Physics, 1991, Vol. 40, No. 5, pgs. 625-684.	
m	CA4	Korkinova, Ts.N.; Andreichin,R.E., Chalcogenide glass polarization and the type of contacts, J. Non-Cryst. Solids 194 (1996) 256-259.	
~-	CB4	Kotkata, M.F.; Afif, M.A.; Labib, H.H.; Hegab, N.A.; Abdel-Aziz, M.M., Memory switching in amorphous GeSeTI chalcogenide semiconductor films, Thin Solid Films 240 (1994) 143-146.	$\prod$
Me	CC4	Kozicki et al., Silver incorporation in thin films of selenium rich Ge-Se glasses, International Congress on Glass, Volume 2, Extended Abstracts, July 2001, pgs. 8-9.	
m	CD4	Michael N. Kozicki, 1. Programmable Metallization Cell Technology Description, February 18, 2000	
~~	CE4	Michael N. Kozicki, Axon Technologies Corp. and Arizona State University, Presentation to Micron Technology, Inc., April 6, 2000	
Men	CF4	Kozicki et al., Applications of Programmable Resistance Changes In Metal-Doped Chalcogenides, Electrochemical Society Proceedings, Volume 99-13, 1999, pgs. 298-309.	$\prod$
Me	CG4	Kozicki et al., Nanoscale effects in devices based on chalcogenide solid solutions, Superlattices and Microstructures, Vol. 27, No. 516, 2000, pgs. 485-488.	1
٨٠	CH4	Kozicki et al., Nanoscale phase separation in Ag-Ge-Se glasses, Microelectronic Engineering 63 (2002) pgs 155-159.	П
M	Cl4	Lakshminarayan, K.N.; Srivastava, K.K.; Panwar, O.S.; Dumar, A., Amorphous semiconductor devices: memory and switching mechanism, J. Instn Electronics & Telecom. Engrs 27 (1981) 16-19.	
m	CJ4	Lal, M.; Goyal, N., Chemical bond approach to study the memory and threshold switching chalcogenide glasses, Indian Journal of pure & appl. phys. 29 (1991) 303-304.	
~_	CK4	Leimer, F.; Stotzel, H.; Kottwitz, A., Isothermal electrical polarisation of amorphous GeSe films with blocking Al contacts influenced by Poole-Frenkel conduction, Phys. Stat. Sol. (a) 29 (1975) K129-K132.	

1706952 v1; 10L3C011.DOC

Mark Cplus 1/18/05

PTC/SB/08B (10-01)

Approved for use through 10/31/2002 OMB 0651-0031

U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Peptinon Reduction Act of 1995, no persons are required to respond to a collection of Information unless it contains a valid OMB control number.

6,	bstitute for form 1449B/PTC	,		C mplete if Known		
3	DSEEDED FOR TOTAL THE			Application Number	10/622,482	
11	NFORMATION	1 DI	SCLOSURE	Filing Date	July 31, 2003	
5	STATEMENT !	BY A	APPLICANT	First Named Inventor	Kristy A. Campbell	
•	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			Group Art Unit	NHA 2815	
	(use as many sh	eels as	necessary)	Examiner Name	Not Yet Assigned LANIAU	
Sheet	9	of	11	Attorney Docket Number	M4065.0724/P724	

Μ	CL4	Leung, W.; Cheung, N.; Neureuther, A.R., Photoinduced diffusion of Ag in GexSe1-x glass, Appl. Phys. Lett. 46 (1985) 543-545.	[
1	CM4	Matsushita, T.; Yamagami, T.; Okuda, M., Polarized memory effect observed on Se-SnO2 system, Jap. J. Appl. Phys. 11 (1972) 1657-1662.	
	CN4	Matsushita, T.; Yamagami, T.; Okuda, M., Polarized memory effect observed on amorphous selenium thin films, Jpn. J. Appl. Phys. 11 (1972) 606.	
	CO4	Mazurier, F.; Levy, M.; Souquet, J.L, Reversible and irreversible electrical switching in TeO2- V2O5 based glasses, Journal de Physique IV 2 (1992) C2-185 - C2-188.	
	CP4	McHardy et al., The dissolution of metals in amorphous chalcogenides and the effects o electron and ultraviolet radiation, 20 J. Phys. C.: Solid State Phys., pp. 4055-4075 (1987)f	
/	/ CQ4	Messoussi, R.; Bernede, J.C.; Benhida, S.; Abachl, T.; Latef, A., Electrical characterization of M/Se structures (M=Ni,Bl), Mat. Chem. And Phys. 28 (1991) 253-258.	
	CR4	Mitkova, M.; Boolchand, P., Microscopic origin of the glass forming tendency in chalcogenides and constraint theory, J. Non-Cryst. Solids 240 (1998) 1-21.	
<u>L</u>	CS4	Mitkova, M.; Kozicki, M.N., Silver incorporation in Ge-Se glasses used in programmable metallization cell devices, J. Non-Cryst. Solids 299-302 (2002) 1023-1027.	
	CT4	Mitkova, M.; Wang, Y.; Bookchand, P., Dual chemical role of Ag as an additive in chalcogenide glasses, Phys. Rev. Lett. 83 (1999) 3848-3851.	
	CU4	Miyatani, Sy., Electronic and ionic conduction in (AgxCu1-x)2Se, J. Phys. Soc. Japan 34 (1973) 423-432.	
	CV4	Mlyatani, Sy., Electrical properties of Ag2Se, J. Phys. Soc. Japan 13 (1958) 317.	H
	CW4	Miyatani, Sy., lonic conduction in beta-Ag2Te and beta-Ag2Se, Journal Phys. Soc. Japan 14 (1959) 996-1002.	
	CX4	Mott, N.F., Conduction in glasses containing transition metal ions, J. Non-Cryst. Solids 1 (1968) 1-17.	
	CY4	Nakayama, K.; Kitagawa, T.; Ohmura, M.; Suzuki, M., Nonvolatile memory based on phase transitions in chalcogenide thin films, Jpn. J. Appl. Phys. 32 (1993) 564-569.	
	CZ4	Nakayama, K.; Kojima, K.; Hayakawa, F.; Imal, Y.; Kitagawa, A.; Suzuki, M., Submicron nonvolatile memory cell based on reversible phase transition in chalcogenide glasses, Jpn. J. Appl. Phys. 39 (2000) 6157-6161.	
	CA5	Nang, T.T.; Okuda, M.; Matsushita, T.; Yokota, S.; Suzuki, A., Electrical and optical parameters of GexSe1-x amorphous thin films, Jap. J. App. Phys. 15 (1976) 849-853.	
	CB5	Narayanan, R.A.; Asokan, S.; Kumar, A., Evidence concerning the effect of topology on electrical switching in chalcogenide network glasses, Phys. Rev. B 54 (1996) 4413-4415.	
	CC5	Neale, R.G.; Asettine, J.A., The application of amorphous materials to computer memories, IEEE transactions on electron dev. Ed-20 (1973) 195-209.	
П	CD5	Ovshinsky S.R.; Fritzsche, H., Reversible structural transformations in amorphous semiconductors for memory and logic, Mettalurgical transactions 2 (1971) 641-645.	
$\prod$	CE5	Ovshinsky, S.R., Reversible electrical switching phenomena in disordered structures, Phys. Rev. Lett. 21 (1968) 1450-1453.	
	CF5	Owen, A.E.; LeComber, P.G.; Sarrabayrouse, G.; Spear, W.E., New amorphous-silicon electrically programmable nonvolatile switching device, IEE Proc. 129 (1982) 51-54	
	CG5	Owen, A.E.; Firth, A.P.; Ewen, P.J.S., Photo-induced structural and physico-chemical changes in amorphous chalcogenide semiconductors, Phil. Mag. B 52 (1985) 347-362.	
$\Box$	CH5	Owen, A.E.; Le Comber, P.G.; Hajto, J.; Rose, M.J.; Snell, A.J., Switching in amorphous devices, Int. J. Electronics 73 (1992) 897-906.	
П	CI5	Owen et al., Metal-Chalcogenide Photoresists for High Resolution Lithography and Sub- Micron Structures, Nanostructure Physics and Fabrication, pp. 447-451 (M. Reed ed. 1989).	
	CJ5	Pearson, A.D.; Miller, C.E., Filamentary conduction in semiconducting glass diodes, App. Phys. Lett. 14 (1969) 280-282.	$\prod$
1	CK5	Pinto, R.; Ramanathan, K.V., Electric field induced m mory switching in thin films f the	$\mathbf{I}$
			$\neg$

1706952 v1; 10L3C011.DOC

March Cf. hr. 1/18/05

Approved for use through 10/31/2002.OMB 0651-0031

U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Complete if Known Substitute for form 1449B/PTO Application Number 10/622,482 INFORMATION DISCLOSURE July 31, 2003 Filing Date Kristy A. Campbell STATEMENT BY APPLICANT First Named Inventor N/A 28/5 Group Art Unit (use as many sheets as necessary) Not Yet Assigned [ A N/ Examiner Name Attorney Docket Number M4065.0724/P724 11 Sheet

		chalcogenide system Ge-As-Se, Appl. Phys. Lett. 19 (1971) 221-223.	L
u.	CL5	Popescu, C., The effect of local non-uniformities on thermal switching and high field behavior of structures with chalcogenide glasses, Solid-state electronics 18 (1975) 671-681.	
7	CM5	Popescu, C.; Croitoru, N., The contribution of the lateral thermal instability to the switching	/
+-	CN5	Popov, A.I.; Geller, I.KH.; Shemetova, V.K., Memory and threshold switching effects in	⊬
1	0.10	amorphous selenium, Phys. Stat. Sol. (a) 44 (1977) K71-K73.	L
	CO5	Prakash, S.; Asokan, S.; Ghare, D.B., Easily reversible memory switching in Ge-As-Te glasses, J. Phys. D: Appl. Phys. 29 (1996) 2004-2008.	İ
T	CP5	Rahman, S.; Sivarama Sastry, G., Electronic switching in Ge-Bi-Se-Te glasses, Mat. Sci. and	١
_	CQ5	Ramesh, K.; Asokan, S.; Sangunni, K.S.; Gopal, E.S.R., Electrical Switching in germanium	$\parallel$
ļ	005	telluride glasses doped with Cu and Ag, Appl. Phys. A 69 (1999) 421-425.	H
	CR5	Rose,M.J.;Hajto,J.;Lecomber,P.G.;Gage,S.M.;Choi,W.K.;Snell,A.J.;Owen,A.E., Amorphous silicon analogue memory devices, J. Non-Cryst. Solids 115 (1989) 168-170.	1
	CS5	Rose, M.J.; Snell, A.J.; Lecomber, P.G.; Hajto, J.; Fitzgerald, A.G.; Owen, A.E., Aspects of non-volatility in a -Si:H memory devices, Mat. Res. Soc. Symp. Proc. V 258, 1992, 1075-1080.	
	СТ5	Schuocker, D.; Rieder, G., On the reliability of amorphous chalcogenide switching devices, J. Non-Cryst. Solids 29 (1978) 397-407.	Γ
+	CU5	Sharma, A.K.; Singh, B., Electrical conductivity measurements of evaporated selenium films in	T
$\dagger$	CV5	Sharma, P., Structural, electrical and optical properties of silver selenide films, Ind. J. Of pure	t
+	CW5	and applied phys. 35 (1997) 424-427. Shimizu et al., The Photo-Erasable Memory Switching Effect of Ag Photo-Doped Chalcogenide Glasses,	t
-}-	CX5	46 B. CHEM SOC. JAPAN, No. 12, pp. 3662-3385 (1973).  Snell, A.J.; Lecomber, P.G.; Hajto, J.; Rose, M.J.; Owen, A.E.; Osborne, I.L., Analogue	t
		memory effects in metal/a-Si:H/metal memory devices, J. Non-Cryst. Solids 137-138 (1991) 1257-1262.	
+	CY5	Snell, A.J.; Hajto, J.; Rose, M.J.; Osborne, L.S.; Holmes, A.; Owen, A.E.; Gibson, R.A.G.,	T
		Analogue memory effects in metal/a-Si:H/metal thin film structures, Mat. Res. Soc. Symp. Proc. V 297, 1993, 1017-1021.	
1	CZ5	Steventon, A.G., Microfilaments in amorphous chalcogenide memory devices, J. Phys. D: Appl. Phys. 8 (1975) L120-L122.	
T	CA6	Steventon, A.G., The switching mechanisms in amorphous chalcogenide memory devices, J. Non-Cryst. Solids 21 (1976) 319-329.	Ī
	CB6	Stocker, H.J., Bulk and thin film switching and memory effects in semiconducting chalcogenide glasses, App. Phys. Lett. 15 (1969) 55-57.	
+	CC6	Tanaka, K., Ionic and mixed conductions in Ag photodoping process, Mod. Phys. Lett B 4	Ť
+	CD6	(1990) 1373-1377.  Tanaka, K.; Iizima, S.; Sugi, M.; Okada, Y.; Kikuchi, M., Thermal effects on switching	†
		phenomenon in chalcogenide amorphous semiconductors, Solid State Comm. 8 (1970) 387-389.	
	CE6	Thornburg, D.D., Memory switching in a Type I amorphous chalcogenide, J. Elect. Mat. 2 (1973) 3-15.	T
<u> </u>	CF6	Thornburg, D.D., Memory switching in amorphous arsenic triselenide, J. Non-Cryst. Solids 11 (1972) 113-120.	T
	CG6	Thomburg, D.D.; White, R.M., Electric field enhanced phase separation and memory switching in amorphous arsenic triselenide, Journal(??) (1972) 4609-4612.	+
$\vdash$	СН6	Tichy, L.; Ticha, H., Remark on the glass-forming ability in GexSe1-x and AsxSe1-x systems,	$\dagger$
ur.	CI6	J. Non-Cryst. Solids 261 (2000) 277-281.  Titus, S.S.K.; Chatterj e, R.; Asokan, S., Electrical switching and short-range reder in As-T	+

Month Cplus V18/08

1706952 v1; 10L3C01!.DOC

PTO/SB/08B (10-01)

Approved for use through 10/31/2002.OMB 0651-0031

U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwood Research of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Su	bstitute for form 14498/P	70		Complete if Kn wn		
		. •		Application Number	10/622,482	
11	NFORMATIO	N DI	SCLOSURE	Filling Date	July 31, 2003	
S	STATEMENT	BY A	APPLICANT	First Named Inventor	Kristy A. Campbell	
				Group Art Unit	N/A 2815	
	(use as many s	sheets as	necessary)	Examiner Name	Not Yet Assigned ANNY	
Sheet	11	of	11	Attorney Docket Number	M4065.0724/P724	

		glasses, Phys. Rev. B 48 (1993) 14650-14652.	<b>.</b>
m.	CJ6	Tranchant,S.;Peytavin,S.;Ribes,M.;Flank,A.M.;Dexpert,H.;Lagarde,J.P., Silver chalcogenide glasses Ag-Ge-Se: lonic conduction and exafs structural investigation, Transport-structure relations in fast ion and mixed conductors Proceedings of the 6th Riso International symposium. 9-13 September 1985.	
1	CK5	Tregouet, Y.; Bernede, J.C., Silver movements in Ag2Te thin films: switching and memory effects, Thin Solid Films 57 (1979) 49-54.	
	CL5	Uemura, O.; Kameda, Y.; Kokai, S.; Satow, T., Thermally induced crystallization of amorphous Ge0.4Se0.6, J. Non-Cryst. Solids 117-118 (1990) 219-221.	
	СМ6	Uttecht, R.; Stevenson, H.; Sie, C.H.; Griener, J.D.; Raghavan, K.S., Electric field induced filament formation in As-Te-Ge glass, J. Non-Cryst. Solids 2 (1970) 358-370.	
	CIN	Viger, C.; Lefrancois, G.; Fleury, G., Anomalous behaviour of amorphous selenium films, J. Non-Cryst. Solids 33 (1976) 267-272.	
	CO6	Vodenicharov, C.; Parvanov, S.; Petkov, P., Electrode-Ilmited currents in the thin-film M-GeSe-M system, Mat. Chem. And Phys. 21 (1989) 447-454.	
	CP6	Wang, SJ.; Misium, G.R.; Camp, J.C.; Chen, KL.; Tigelaar, H.L., High-performance Metal/silicide antifuse, IEEE electron dev. Lett. 13 (1992)471-472.	
	CQ6	Weirauch, D.F., Threshold switching and thermal filaments in amorphous semiconductors, App. Phys. Lett. 16 (1970) 72-73.	
	CR6	West, W.C.; Sleradzki, K.; Kardynal, B.; Kozicki, M.N., Equivalent circuit modeling of the Ag Aso.24So.36Ago.40 Ag System prepared by photodissolution of Ag, J. Electrochem. Soc. 145 (1998) 2971-2974	
	CS6	West, W.C., Electrically erasable non-volatile memory via electrochemical deposition of multifractal aggregates, Ph.D. Dissertation, ASU 1998	
m	CS7	Zhang, M.; Mancini, S.; Bresser, W.; Boolchand, P., Variation of glass transition temperature, Tg, with average coordination number, <m>, in network glasses: evidence of a threshold behavior in the slope  dTg/d<m>  at the rigidity percolation threshold (<m>=2.4), J. Non-Cryst. Solids 151 (1992) 149-154.</m></m></m>	

Examiner Signature Minutes C	Tolum	Date Considered	1/18/0	75
	,		-r	

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Applicant's unique citation designation number (optional). ²Applicant is to place a check mark here if English language Translation is attached.

PTO/SB/08a/b (08-03)
Approved for use through 07/31/2008. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Complete if Known Substitute for form 1449A/B/PTO Application Number 10/622,482 INFORMATION DISCLOSURE Filing Date July 21, 2003 STATEMENT BY APPLICANT First Named Inventor Kristy A. Campbell Art Unit 2818 2815 (Use as many sheets as necessary) LANDAU Examiner Name Sheet Attorney Docket Number M4065.0724/P724

U.S. PATENT DOCUMENTS							
Examiner Initials*	Cite No.1	Document Number  Number-Kind Code ² ( if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear		
m	A	US 2004/0035401	2/2004	Ramachandran et al.			
M	В	US 2003/0212724	11/2003	Ovshinsky et al.	<del></del>		
ma	C	US 2003/0048744	3/2003	Ovshinsky et al.	<del></del>		
M	Ď	US 2003/0212725	11/2003	Ovshinsky et al.			
me	E	US RE 37,259E	7/2001	Ovshinsky	<del></del>		
M	F	US 3,271,591	9/1966	Ovshinsky			
7~~~	G	US 3,961,314	6/1976	Klose et al.			
m	Н	US 3,966,317	6/1976	Wacks et al.			
m	i	US 3,983,542	11/1976	Ovshinsky			
M-	j	US 3,988,720	10/1976	Ovshinsky			
~~~	K	US 4,177,474	12/1979	Ovshinsky			
<u> </u>	L	US 4,267,261	5/1981	Hallman et al.			
1	м	US 4,597,162	7/1986	Johnson et al.			
	N	US 4,608,296	8/1986	Keem et al.			
	Ö	US 4,637,895	1/1987	Ovshinsky et al.			
	P	US 4.646.266	2/1987				
	a	US 4,664,939	5/1987	Ovshinsky et al.			
	R	US 4,668,968	5/1987	Ovshinsky			
	S			Ovshinsky et al.			
	<u>-</u> -	US 4,670,763	6/1987	Ovshinsky et al.			
-	Ü	US 4,673,957	6/1987	Ovshinsky et al.			
	V —	US 4,678,679	7/1987	Ovshinsky			
		US 4,696,758	9/1987	Ovshinsky et al.			
	W	US 4,698,234	10/1987	Ovshinsky et al.			
	X Y	US 4,710,899	12/1987	Young et al.			
		US 4,728,406	3/1988	Banerjee et al.			
	Z	US 4,737,379	4/1988	Hudgens et al.			
	A1	US 4,766,471	8/1988	Ovshinsky et al.			
	B1	US 4,769,338	9/1988	Ovshinsky et al.			
	C1	US 4,775,425	10/1988	Guha et al.			
	D1	US 4,788,594	11/1988	Ovshinsky et al.			
	E1	US 4,809,044	2/1989	Pryor et al.			
	F1	US 4,818,717	4/1989	Johnson et al.			
	G1	US 4,843,443	6/1989	Ovshinsky et al.			
	H1	US 4,845,533		Pryor et al.			
	11	US 4,853,785	8/1989	Ovshinsky et al.			
	J1	US 4,891,330	1/1990	Guha et al.			
	K1	US 5,128,099	7/1992	Strand et al.			
	L1	US 5,159,661	10/1992	Ovshinsky et al.			
	M1_	US 5,166,758		Ovshinsky et al.			
	N1	US 5,177,567	1/1993	KI rsy et al.			
	01	US 5,296,716	3/1994	Ovshinsky tal.			
	P1	US 5,335,219	8/1994	Ovshinsky et al.			
	Q1	US 5,359,205	10/1994	Ovshinsky			
	R1		8/1994	Ovshinsky et al.			
May	S1	US 5,406,509	4/1995	Ovshinsky et al.			

Martin C/lin 1/18/05

PTO/SB/08a/b (08-03)
Approved for use through 07/31/2006. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

Sheet	2	of	3

Substitute for form 1449A/B/PTO

	Complete if Known					
Application Number	10/622,482					
Filing Date	July 21, 2003					
First Named Inventor	Kristy A. Campbell					
Art Unit	2818 2815					
Examiner Name	NA LANDAU					
Attorney Docket Number	M4065.0724/P724					

Mu	T1	US 5,414,271	5/1995	Ovshinsky et al.		
	U1	US 5,534,711	7/1996	Ovshinsky et al.		
	V1	US 5,534,712	7/1996	Ovshinsky et al.	i i	
	W1	US 5,536,947	7/1996	Klersy et al.		
	X1	US 5,543,737	8/1996	Ovshinsky		
	Y1	US 5,591,501	1/1997	Ovshinsky et al.		
	Z1	US 5,596,522	1/1997	Ovshinsky et al.		
	A2	US 5,687,112	11/1997	Ovshinsky		
	B2	US 5,694,054	12/1997	Ovshinsky et al.		
	C2	US 5,714,768	2/1998	Ovshinsky et al.		
	D2	US 5,825,046	10/1998	Czubatyj et al.	1	
	E2	US 5,912,839	6/1999	Ovshinsky et al.		1
	F2	US 5,933,365	8/1999	Klersy et al.		
	G2	US 6,011,757	1/2000	Ovshinsky		
	H2	US 6,087,674	7/2000	Ovshinsky et al.		
	12	US 6,141,241	10/2000	Ovshinsky et al.		
	J2	US 6,339,544	1/2002	Chiang et al.		
	K2	US 6,404,665	6/2002	Lowery et al.	i	
	L2	US 6,429,064	8/2002	Wicker		
	M2	US 6,437,383	8/2002	Xu		
	N2	US 6,462,984	10/2002	Xu et al.	l	
	02	US 6,480,438	11/2002	Park		
	P2	US 6,487,113	11/2002	Park et al.		
	Q2	US 6,501,111	12/2002	Lowery		
	R2	US 6,507,061	1/2003	Hudgens et al.		
	S2	US 6,511,862	1/2003	Hudgens et al.		
	T2	US 6,511,867	1/2003	Lowery et al.		
	U2	US 6,512,241	1/2003	Lai		
	V2	US 6,514,805	2/2003	Xu et al.		
	W2	US 6,531,373	3/2003	Gill et al.		
	X2	US 6,534,781	3/2003	Dennison		
$oldsymbol{ol}}}}}}}}}}}}}}}}}$	Y2	US 6,545,287	4/2003	Chlang		
	Z2	US 6,545,907	4/2003	Lowery et al.		
	A3	US 6,555,860	4/2003	Lowery et al.		
oxdot	B3	US 6,563,164	5/2003	Lowery et al.		
\sqcup	C3	US 6,566,700	5/2003	Xu		1
\perp	D3_	US 6,567,293	5/2003	Lowery et al.		
4	E3	US 6,569,705	5/2003	Chiang et al.		l
Ц	F3	US 6,570,784	5/2003	Lowery		
Ц	G3	US 6,576,921	6/2003	Lowery		
<u> </u>	НЗ	US 6,586,761	7/2003	Lowery		•
oxdot	13	US 6,589,714	7/2003	Maimon et al.		
\vdash	J3	US 6,590,807	7/2003	Lowery		
Н	КЗ	US 6,593,176	7/2003	Dennison		
Н	L3	US 6,597,009	7/2003	Wicker		
Н	МЗ	US 6,605,527	8/2003	Dennison et al.		
Н—	N3	US 6,613,604	9/2003	Maimon tal.		
Н	03	US 6,621,095	9/2003	Chlang tal.		
	P3	US 6,625,054	9/2003	Lowery tal.		
لكالر	Q3	US 6,642,102	11/2003	Xu		

Much C Jan 1/18/05

PTO/SB/08a/b (08-03)

Approved for use through 07/31/2008. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Sut	ostitute for form 1449A/B/PT	0		Complete if Known		
				Application Number	10/622,482	
11	NFORMATION	i Di	SCLOSURE	Filing Date	July 21, 2003	
S	TATEMENT E	BY A	APPLICANT	First Named Inventor	Kristy A. Campbell	
				Art Unit	2818- D815	
	(Use as many sh	eets as	necessary)	Examiner Name	NA LANDAU	
Sheet	3	of	3	Attorney Docket Number	M4065.0724/P724	

me	R3	US 6,646,297	11/2003	Dennison	
	S3	US 6,649,928	11/2003	Dennison	
	T3	US 6,667,900	12/2003	Lowery et al.	
	U3	US 6,671,710	12/2003	Ovshinsky et al.	
	V3	US 6,673,648	1/2004	Lowrey	
	W3	US 6,673,700	1/2004	Dennison et al.	
	Х3	US 6,674,115	1/2004	Hudgens et al.	
	Y3	US 6,687,427	2/2004	Ramalingam et al.	
	Z3	US 6,690,026	2/2004	Peterson	
	A4	US 6,696,355	2/2004	Dennison	
	B4	US 6,687,153	2/2004	Lowery	
	C4	US 6,707,712	3/2004	Lowery	
My	D4	US 6,714,954	3/2004	Ovshinsky et al.	

		FOREI	GN PATENT	DOCUMENTS		
Examiner Initials*	Cite No.'	Foreign Patent Document Country Code ³ -Number ⁴ -Kind Code ⁴ (# known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	
						F

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. *Applicant's unique citation designation number (optional). *See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. *Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). *For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. *Skind of document by the appropriate symbols as Indicated on the document under WIPO Standard ST.18 if possible. *Applicant is to place a check mark here if English language Translation is attached.

		NON PATENT LITERATURE DOCUMENTS	
Examiner C Initials N	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T²

^{*}EXAMINER: Initial If reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Marker C flow 1/18/05

1799066 v1; 12K6201I.DOC

Applicant's unique citation designation number (optional). Applicant is to place a check mark here if English language Translation is attached.